
# Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Precision Fill and Pack LLC
Order No.: OFLMWF1005-0017449
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF1005-CDIS-0009720
State: Kentucky
Unit Weight: .5000g , Sample Size for Testing: 5.0000 g
Batch#: 26302909
COA Expiration Date: 10/06/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Premium Disposable Vapes 0.5ml THCp
Green Crack (Sativa)
Concentrates & Extracts, Distillate




## Results

| | |
|---|---|
| **39.5 %** D8-THC | **33.8 %** D9-THCP |
| **6.22 %** Total CBD | **0 %** Total THC |
| **51 %** Total Cannabinoids | |

## Tests Summary

| | | |
|---|---|---|
| **Cannabinoids** Pass | **Moisture** Not Tested | **Microbials** Not Tested |
| **Foreign Matter** Not Tested | **Water Activity** Not Tested | **Homogeneity** Not Tested |
| **Terpenes** Not Tested | **Contaminant Load** Not Tested | **Residual Solvents** Not Tested |
| **Mycotoxins** Not Tested | **Heavy Metals** Not Tested | **Pesticides** Not Tested |
| **Kratom** Not Tested | **Contaminants** Not Tested | |

ACCREDITED
CERT #7425.05



**Sean Santiago**
**Lab Manager**

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

# Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Precision Fill and Pack LLC
Order No.: OFLMWF1005-0017449
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF1005-CDIS-0009720
State: Kentucky
Unit Weight: .5000g , Sample Size for Testing: 5.0000 g
Batch#: 26302909
COA Expiration Date: 10/06/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Premium Disposable Vapes 0.5ml THCp
Green Crack (Sativa)
Concentrates & Extracts, Distillate

## Cannabinoids

Pass

### Sample Prep
**Tech:** 4514, 4509
**SOP:** SOP 801
**Batch Number:** WCNDFL-FL1006-0012049
**Batch Date:** 10/06/2026 10:33

### Sample Analysis
**Date/Time:** 10/12/2026 14:36
**Tech:** 4509
**SOP:** SOP 801
**Instrument:** HPLC - 3013
**Initial Weight:** 0.238 g
**Initial Volume:** -
**Final Volume:** -

| Analyte | DF | LOD (mg/g) | LOQ (mg/g) | % | mg/g | mg/unit |
|---|---|---|---|---|---|---|
| CBDVa | 2,050 | 0.118 | 4.303 | ND | ND | ND |
| CBDV | 2,050 | 0.086 | 4.303 | ND | ND | ND |
| CBDa | 2,050 | 0.654 | 4.303 | ND | ND | ND |
| CBGa | 2,050 | 0.324 | 4.303 | ND | ND | ND |
| CBG | 2,050 | 0.704 | 4.303 | **3.0308** | **30.308** | **15.154** |
| CBD | 2,050 | 1.196 | 4.303 | **6.2156** | **62.156** | **31.078** |
| THCV | 2,050 | 0.279 | 4.303 | ND | ND | ND |
| THCVa | 2,050 | 0.232 | 4.303 | ND | ND | ND |
| CBN | 2,050 | 0.126 | 4.303 | **2.2976** | **22.976** | **11.488** |
| D8-THC | 2,050 | 0.724 | 4.303 | **39.4587** | **394.587** | **197.293** |
| D9-THC | 2,050 | 0.623 | 4.303 | ND | ND | ND |
| D9-THCP | 2,050 | 0.698 | 4.303 | **33.7697** | **337.697** | **168.849** |
| D10-THC | 2,050 | 0.62 | 4.303 | ND | ND | ND |
| CBC | 2,050 | 0.466 | 4.303 | ND | ND | ND |
| THCa | 2,050 | 0.711 | 4.303 | ND | ND | ND |
| CBCa | 2,050 | 1.18 | 4.303 | ND | ND | ND |
| CBT | 2,050 | 0.861 | 4.303 | ND | ND | ND |
| EXO-THC | 2,050 | 0.892 | 4.303 | ND | ND | ND |
| Total CBD | | | | **6.2156** | **62.156** | **31.078** |
| Total THC | | | | 0.0000 | 0.000 | 0.000 |
| Total Cannabinoids | | | | **51.0027** | **510.027** | **255.013** |
| CBD-diacetate ♦ | 2,050 | | | ND | ND | ND |
| CBN-acetate ♦ | 2,050 | | | ND | ND | ND |
| CBG-diacetate ♦ | 2,050 | | | ND | ND | ND |
| D8-THC-acetate ♦ | 2,050 | | | ND | ND | ND |
| D9-THC-acetate ♦ | 2,050 | | | ND | ND | ND |
| D8-THCP-acetate ♦ | 2,050 | | | ND | ND | ND |
| D9-THCP-acetate ♦ | 2,050 | | | ND | ND | ND |

A2LA ACCREDITED
CERT #7425.05



Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

# Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

Precision Fill and Pack LLC
Order No.: OFLMWF0922-0017115
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0922-CDIS-0009543
State: Kentucky
Unit Weight: 1.0000g , Sample Size for Testing: 4.0000 g
Batch#: 26302909
COA Expiration Date: 09/23/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow - THCp Blend
Concentrates & Extracts, Distillate



## Results

| | |
|---|---|
| **38.6 %** D8-THC | **33.1 %** D9-THCP |
| **6.07 %** Total CBD | **0 %** Total THC |
| **49.9 %** Total Cannabinoids | |

## Tests Summary

| | | |
|---|---|---|
| **Cannabinoids** Pass | **Moisture** Not Tested | **Microbials** Pass |
| **Foreign Matter** Tested | **Water Activity** Tested | **Homogeneity** Not Tested |
| **Terpenes** Not Tested | **Contaminant Load** Not Tested | **Residual Solvents** Pass |
| **Mycotoxins** Pass | **Heavy Metals** Pass | **Pesticides** Pass |
| **Kratom** Not Tested | **Contaminants** Pass | |

A2LA ACCREDITED CERT #7425.05



**Dakota Detwiler**
**Director of Operations**

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

# Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

Precision Fill and Pack LLC
Order No.: OFLMWF0922-0017115
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0922-CDIS-0009543
State: Kentucky
Unit Weight: 1.0000g , Sample Size for Testing: 4.0000 g
Batch#: 26302909
COA Expiration Date: 09/23/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow - THCp Blend
Concentrates & Extracts, Distillate

## Cannabinoids

Pass

**Sample Prep**
**Tech:** 3358, 4521
**SOP:** SOP 801
**Batch Number:** WCNDFL-FL0923-0011331
**Batch Date:** 09/23/2026 14:33

**Sample Analysis**
**Date/Time:** 09/25/2026 16:06
**Tech:** 4521
**SOP:** SOP 801
**Instrument:** HPLC - 3012
**Initial Weight:** 0.246 g
**Initial Volume:** -
**Final Volume:** -

| Analyte | DF | LOD (mg/g) | LOQ (mg/g) | % | mg/g | mg/unit |
|---|---|---|---|---|---|---|
| CBDVa | 2,050 | 0.114 | 4.168 | ND | ND | ND |
| CBDV | 2,050 | 0.083 | 4.168 | ND | ND | ND |
| CBDa | 2,050 | 0.634 | 4.168 | ND | ND | ND |
| CBGa | 2,050 | 0.313 | 4.168 | ND | ND | ND |
| CBG | 2,050 | 0.682 | 4.168 | **2.9701** | **29.701** | **29.701** |
| CBD | 2,050 | 1.159 | 4.168 | **6.0711** | **60.711** | **60.711** |
| THCV | 2,050 | 0.27 | 4.168 | ND | ND | ND |
| THCVa | 2,050 | 0.225 | 4.168 | ND | ND | ND |
| CBN | 2,050 | 0.123 | 4.168 | **2.2807** | **22.807** | **22.807** |
| D8-THC | 2,050 | 0.701 | 4.168 | **38.5925** | **385.925** | **385.925** |
| D9-THC | 2,050 | 0.604 | 4.168 | ND | ND | ND |
| D9-THCP | 2,050 | 0.676 | 4.168 | **33.1316** | **331.316** | **331.316** |
| D10-THC | 2,050 | 0.6 | 4.168 | ND | ND | ND |
| CBC | 2,050 | 0.451 | 4.168 | ND | ND | ND |
| THCa | 2,050 | 0.689 | 4.168 | ND | ND | ND |
| CBCa | 2,050 | 1.143 | 4.168 | ND | ND | ND |
| CBT | 2,050 | 0.834 | 4.168 | ND | ND | ND |
| EXO-THC | 2,050 | 0.864 | 4.168 | ND | ND | ND |
| Total CBD | | | | **6.0711** | **60.711** | **60.711** |
| Total THC | | | | 0.0000 | 0.000 | 0.000 |
| Total Cannabinoids | | | | **49.9146** | **499.146** | **499.146** |
| CBD-diacetate ♦ | 2,050 | | | ND | ND | ND |
| CBN-acetate ♦ | 2,050 | | | ND | ND | ND |
| CBG-diacetate ♦ | 2,050 | | | ND | ND | ND |
| D8-THC-acetate ♦ | 2,050 | | | ND | ND | ND |
| D9-THC-acetate ♦ | 2,050 | | | ND | ND | ND |
| D8-THCP-acetate ♦ | 2,050 | | | ND | ND | ND |
| D9-THCP-acetate ♦ | 2,050 | | | ND | ND | ND |

A2LA ACCREDITED CERT #7425.05



Dakota Detwiler
Director of Operations

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

# Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

Precision Fill and Pack LLC
Order No.: OFLMWF0922-0017115
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0922-CDIS-0009543
State: Kentucky
Unit Weight: 1.0000g , Sample Size for Testing: 4.0000 g
Batch#: 26302909
COA Expiration Date: 09/23/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow - THCp Blend
Concentrates & Extracts, Distillate

## Microbials

Pass

### Sample Prep

**Tech:** 4302, 4495
**SOP:** SOP 406-FL & SOP 412-FL
**Batch Number:** WINCFL-FL1007-0012162
**Batch Date:** 10/07/2026 15:47

### Sample Analysis

**Date/Time:** 10/09/2026 14:00
**Tech:** 4495, 4509
**SOP:** SOP 406-FL SOP & 412-FL
**Instrument:** AriaMx Real-Time PCR System - 2958 / Balance XSR104 2835 - 2835
**Initial Weight:** 4.176 g
**Initial Volume:** -
**Final Volume:** -

| Analyte | DF | Limit (CFU/g) | Result | Status |
|---|---|---|---|---|
| E. Coli | 1.00 | 100 | ND | Passed |
| Yeast & Mold | 1.00 | 100,000 | ND | Passed |
| Salmonella | 10.0 | None Present | Absence | Passed |
| Aspergillus Flavus | 10.0 | None Present | Absence | Passed |
| Aspergillus Fumigatus | 10.0 | None Present | Absence | Passed |
| Aspergillus Niger | 10.0 | None Present | Absence | Passed |
| Aspergillus Terreus | 10.0 | None Present | Absence | Passed |
| STEC E. Coli | 10.0 | None Present | Absence | Passed |
| Total Aerobic Microbial Count | 1,000 | | ND | Tested |

ACCREDITED
CERT #7425.05



Dakota Detwiler
Director of Operations

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

Precision Fill and Pack LLC
Order No.: OFLMWF0922-0017115
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0922-CDIS-0009543
State: Kentucky
Unit Weight: 1.0000g , Sample Size for Testing: 4.0000 g
Batch#: 26302909
COA Expiration Date: 09/23/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow - THCp Blend
Concentrates & Extracts, Distillate

## Foreign Matter

Tested

**Sample Prep/Analysis**
**Tech:** 4302
**SOP:** SOP 409-FL
**Batch Date:** 10/08/2026 16:14

**Sample Analysis**
**Date/Time:** 10/08/2026 16:45
**Tech:** 4522
**SOP:** SOP 409-FL
**Initial Weight:** 0 g
**Initial Volume:** -
**Final Volume:** -

| Analyte | % |
|---|---|
| FM Weight | 0.00 |
| FM Sample Area | 0.00 |
| Feces, Mold, Mildew, and/or Fungus | Absence |



Dakota Detwiler
Director of Operations

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

# Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

Precision Fill and Pack LLC
Order No.: OFLMWF0922-0017115
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0922-CDIS-0009543
State: Kentucky
Unit Weight: 1.0000g , Sample Size for Testing: 4.0000 g
Batch#: 26302909
COA Expiration Date: 09/23/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow - THCp Blend
Concentrates & Extracts, Distillate

## Water Activity

Tested

### Sample Prep
**Tech:** 4527
**SOP:** SOP 206
**Batch Number:** WWAFL-FL1008-0012258
**Batch Date:** 10/08/2026 18:55

### Sample Analysis
**Date/Time:** 10/09/2026 09:26
**Tech:** 4509
**SOP:** SOP 206
**Instrument:** Rotronic Water Activity Meter - 3530
**Initial Weight:** 1.01 g
**Initial Volume:** -
**Final Volume:** -

| Analyte | aw |
|---|---|
| Water Activity | **0.54** |

ACCREDITED
CERT #7425.05



**Dakota Detwiler**
**Director of Operations**

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

# Certificate of Analysis

Precision Fill and Pack LLC
Order No.: OFLMWF0922-0017115
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0922-CDIS-0009543
State: Kentucky
Unit Weight: 1.0000g , Sample Size for Testing: 4.0000 g
Batch#: 26302909
COA Expiration Date: 09/23/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow - THCp Blend
Concentrates & Extracts, Distillate

## Residual Solvents

Pass

### Sample Prep
**Tech:** 3358, 4401
**SOP:** SOP 405-FL
**Batch Number:** WRSVFL-FL1012-0012436
**Batch Date:** 10/12/2026 11:55

### Sample Analysis
**Date/Time:** 10/12/2026 19:00
**Tech:** 4509
**SOP:** SOP 405-FL
**Instrument:** GCMS-HS - 3015
**Initial Weight:** 0.102 g
**Initial Volume:** -
**Final Volume:** -

| Analyte | DF | LOD (ppm) | LOQ (ppm) | Limit (ppm) | ppm | Status |
|---|---|---|---|---|---|---|
| 1,2-Dichloroethane | 1.00 | 0.7 | 1.0 | | ND | Tested |
| Acetone | 1.00 | 2.0 | 20.0 | 1,000.0 | < LOQ | Passed |
| Acetonitrile | 1.00 | 2.0 | 20.0 | | < LOQ | Tested |
| Benzene | 1.00 | 0.2 | 0.4 | 2.0 | ND | Passed |
| Butane | 1.00 | 10.0 | 20.0 | 1,000.0 | ND | Passed |
| Chloroform | 1.00 | 0.2 | 0.4 | | ND | Tested |
| Ethanol | 1.00 | 20.0 | 40.0 | 5,000.0 | ND | Passed |
| Ethyl Acetate | 1.00 | 2.0 | 20.0 | 1,000.0 | ND | Passed |
| Ethyl Ether | 1.00 | 20.0 | 40.0 | | ND | Tested |
| Ethylene Oxide | 1.00 | 0.7 | 2.0 | | ND | Tested |
| Heptane | 1.00 | 20.0 | 40.0 | 1,000.0 | ND | Passed |
| Hexanes | 1.00 | 4.0 | 8.0 | 60.0 | ND | Passed |
| Isopropyl Alcohol | 1.00 | 20.0 | 40.0 | 1,000.0 | ND | Passed |
| Methanol | 1.00 | 20.0 | 40.0 | 600.0 | ND | Passed |
| Methylene Chloride | 1.00 | 20.0 | 40.0 | | ND | Tested |
| Pentanes | 1.00 | 6.7 | 13.3 | 1,000.0 | ND | Passed |
| Propane | 1.00 | 2.0 | 20.0 | 1,000.0 | ND | Passed |
| Toluene | 1.00 | 2.0 | 20.0 | 180.0 | ND | Passed |
| Trichloroethylene | 1.00 | 1.0 | 2.0 | | ND | Tested |
| Total Xylenes | | | | 430.0 | ND | Passed |
| 1,1-Dichloroethene | 1.00 | 0.7 | 2.0 | | ND | Tested |

ACCREDITED
CERT #7425.05



**Dakota Detwiler**
**Director of Operations**

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

Precision Fill and Pack LLC
Order No.: OFLMWF0922-0017115
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0922-CDIS-0009543
State: Kentucky
Unit Weight: 1.0000g , Sample Size for Testing: 4.0000 g
Batch#: 26302909
COA Expiration Date: 09/23/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow - THCp Blend
Concentrates & Extracts, Distillate

## Mycotoxins

Pass

### Sample Prep
**Tech:** 3358
**SOP:** SOP 424-FL
**Batch Number:** WPMCFL-FL1008-0012229
**Batch Date:** 10/08/2026 14:26

### Sample Analysis
**Date/Time:** 10/09/2026 16:19
**Tech:** 4509
**SOP:** SOP 424-FL
**Instrument:** LC-MS/MS - 2998
**Initial Weight:** 0.101 g
**Initial Volume:** -
**Final Volume:** -

| Analyte | DF | LOD (ppb) | LOQ (ppb) | Limit (ppb) | ppb | Status |
|---|---|---|---|---|---|---|
| B1 | 2.50 | 1.990 | 9.950 | 20.000 | ND | Passed |
| B2 | 2.50 | 1.990 | 9.950 | 20.000 | ND | Passed |
| G1 | 2.50 | 1.990 | 9.950 | 20.000 | ND | Passed |
| G2 | 2.50 | 1.990 | 9.950 | 20.000 | ND | Passed |
| Ochratoxin A | 2.50 | 1.990 | 9.950 | 20.000 | ND | Passed |



Dakota Detwiler
Director of Operations

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

Precision Fill and Pack LLC
Order No.: OFLMWF0922-0017115
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0922-CDIS-0009543
State: Kentucky
Unit Weight: 1.0000g , Sample Size for Testing: 4.0000 g
Batch#: 26302909
COA Expiration Date: 09/23/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow - THCp Blend
Concentrates & Extracts, Distillate

## Heavy Metals

Pass

### Sample Prep

**Tech:** 4526
**SOP:** SOP 428-FL
**Batch Number:** WMTLFL-FL1007-0012109
**Batch Date:** 10/07/2026 10:50

### Sample Analysis

**Date/Time:** 10/08/2026 17:16
**Tech:** 4509
**SOP:** SOP 428-FL
**Instrument:** ICP-MS - 2837
**Initial Weight:** 0.097 g
**Initial Volume:** -
**Final Volume:** -

| Analyte | DF | LOD (ppb) | LOQ (ppb) | Limit (ppb) | ppb | Status |
|---|---|---|---|---|---|---|
| Arsenic | 15.0 | 6.321 | 57.811 | 200.000 | < LOQ | Passed |
| Cadmium | 15.0 | 4.162 | 57.811 | 200.000 | ND | Passed |
| Mercury | 15.0 | 4.625 | 57.811 | 100.000 | ND | Passed |
| Nickel | 15.0 | 59.661 | 173.433 | | < LOQ | Tested |
| Lead | 15.0 | 4.162 | 173.433 | 500.000 | < LOQ | Passed |
| Tin | 15.0 | 174.204 | 231.244 | | ND | Tested |



Dakota Detwiler
Director of Operations

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

Precision Fill and Pack LLC
Order No.: OFLMWF0922-0017115
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0922-CDIS-0009543
State: Kentucky
Unit Weight: 1.0000g , Sample Size for Testing: 4.0000 g
Batch#: 26302909
COA Expiration Date: 09/23/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow - THCp Blend
Concentrates & Extracts, Distillate

## Pesticides

Pass

### Sample Prep
**Tech:** 3358
**SOP:** SOP 424-FL
**Batch Number:** WPTGFL-FL1008-0012243
**Batch Date:** 10/08/2026 16:12

### Sample Analysis
**Date/Time:** 10/09/2026 15:39
**Tech:** 4509
**SOP:** SOP 424-FL
**Instrument:** GC-MS/MS - 3005 / LC-MS/MS - 2998
**Initial Weight:** 0.644 g
**Initial Volume:** -
**Final Volume:** -

| Analyte | DF | LOD (ppm) | LOQ (ppm) | Limit (ppm) | ppm | Status |
|---|---|---|---|---|---|---|
| Abamectin | 2.50 | 0.009 | 0.022 | 0.500 | ND | Passed |
| Acephate | 2.50 | 0.010 | 0.025 | 0.400 | ND | Passed |
| Acequinocyl | 2.50 | 0.010 | 0.025 | 2.000 | ND | Passed |
| Acetamiprid | 2.50 | 0.002 | 0.010 | 0.200 | ND | Passed |
| Aldicarb | 2.50 | 0.005 | 0.020 | 0.400 | ND | Passed |
| Azoxystrobin | 2.50 | 0.002 | 0.010 | 0.200 | ND | Passed |
| Bifenazate | 2.50 | 0.002 | 0.010 | 0.200 | ND | Passed |
| Bifenthrin | 2.50 | 0.010 | 0.025 | 0.200 | ND | Passed |
| Boscalid | 2.50 | 0.012 | 0.050 | 0.400 | ND | Passed |
| Carbaryl | 2.50 | 0.005 | 0.010 | 0.200 | ND | Passed |
| Carbofuran | 2.50 | 0.002 | 0.010 | 0.200 | ND | Passed |
| Chlorantraniliprole | 2.50 | 0.002 | 0.010 | 0.200 | ND | Passed |
| Chlorpyrifos | 2.50 | 0.010 | 0.025 | 0.200 | ND | Passed |
| Clofentezine | 2.50 | 0.010 | 0.025 | 0.200 | ND | Passed |
| Coumaphos | 10.0 | 0.010 | 0.050 | | ND | Tested |
| Cyfluthrin | 10.0 | 0.010 | 0.100 | 1.000 | ND | Passed |
| Cypermethrin | 10.0 | 0.010 | 0.100 | 1.000 | ND | Passed |
| Daminozide | 2.50 | 0.010 | 0.025 | 1.000 | ND | Passed |
| Diazinon | 2.50 | 0.002 | 0.010 | 0.200 | ND | Passed |
| Dichlorvos | 2.50 | 0.010 | 0.025 | 0.100 | ND | Passed |
| Dimethoate | 2.50 | 0.002 | 0.010 | 0.200 | ND | Passed |
| Dimethomorph | 2.50 | 0.003 | 0.011 | | ND | Tested |
| Ethoprophos | 2.50 | 0.002 | 0.010 | 0.200 | ND | Passed |
| Etofenprox | 2.50 | 0.002 | 0.010 | 0.400 | ND | Passed |
| Etoxazole | 2.50 | 0.002 | 0.010 | 0.200 | ND | Passed |
| Fenhexamid | 2.50 | 0.010 | 0.050 | | ND | Tested |
| Fenoxycarb | 2.50 | 0.002 | 0.010 | 0.200 | ND | Passed |
| Fenpyroximate | 2.50 | 0.002 | 0.020 | 0.400 | ND | Passed |
| Fipronil | 2.50 | 0.002 | 0.010 | 0.400 | ND | Passed |



Dakota Detwiler
Director of Operations

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

# Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

Precision Fill and Pack LLC
Order No.: OFLMWF0922-0017115
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0922-CDIS-0009543
State: Kentucky
Unit Weight: 1.0000g , Sample Size for Testing: 4.0000 g
Batch#: 26302909
COA Expiration Date: 09/23/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow - THCp Blend
Concentrates & Extracts, Distillate

| Analyte | DF | LOD (ppm) | LOQ (ppm) | Limit (ppm) | ppm | Status |
|---|---|---|---|---|---|---|
| Flonicamid | 2.50 | 0.005 | 0.020 | 1.000 | ND | Passed |
| Fludioxonil | 2.50 | 0.005 | 0.010 | 0.400 | ND | Passed |
| Hexythiazox | 2.50 | 0.005 | 0.020 | 1.000 | ND | Passed |
| Imazalil | 2.50 | 0.010 | 0.025 | 0.200 | ND | Passed |
| Imidacloprid | 2.50 | 0.025 | 0.124 | 0.400 | ND | Passed |
| Kresoxim Methyl | 2.50 | 0.005 | 0.010 | 0.400 | ND | Passed |
| Malathion | 2.50 | 0.020 | 0.050 | 0.200 | ND | Passed |
| Mevinphos | 2.50 | 0.009 | 0.022 | | ND | Tested |
| Metalaxyl | 2.50 | 0.002 | 0.010 | 0.200 | ND | Passed |
| Methiocarb | 2.50 | 0.002 | 0.010 | 0.200 | ND | Passed |
| Methomyl | 2.50 | 0.002 | 0.010 | 0.400 | ND | Passed |
| Myclobutanil | 2.50 | 0.005 | 0.025 | | ND | Tested |
| Naled | 2.50 | 0.020 | 0.025 | 0.500 | ND | Passed |
| Oxamyl | 2.50 | 0.002 | 0.010 | 1.000 | ND | Passed |
| Paclobutrazol | 2.50 | 0.002 | 0.010 | 0.400 | ND | Passed |
| Permethrin | 2.50 | 0.010 | 0.025 | 0.200 | ND | Passed |
| Phosmet | 2.50 | 0.005 | 0.025 | 0.200 | ND | Passed |
| Piperonyl Butoxide | 2.50 | 0.002 | 0.010 | 2.000 | ND | Passed |
| Prallethrin | 2.50 | 0.010 | 0.025 | 0.200 | ND | Passed |
| Propiconazole | 2.50 | 0.010 | 0.025 | 0.400 | ND | Passed |
| Propoxur | 2.50 | 0.002 | 0.010 | 0.200 | ND | Passed |
| Pyrethrins | 2.50 | 0.033 | 0.066 | 1.000 | ND | Passed |
| Pyridaben | 2.50 | 0.002 | 0.010 | 0.200 | ND | Passed |
| Spinetoram | 2.50 | 0.007 | 0.018 | | ND | Tested |
| Spinosyn AD | 2.50 | 0.010 | 0.042 | 0.200 | ND | Passed |
| Spiromesifen | 2.50 | 0.002 | 0.010 | 0.200 | ND | Passed |
| Spirotetramat | 2.50 | 0.005 | 0.025 | 0.200 | ND | Passed |
| Spiroxamine | 2.50 | 0.002 | 0.010 | 0.400 | ND | Passed |
| Tebuconazole | 2.50 | 0.010 | 0.025 | 0.400 | ND | Passed |
| Thiacloprid | 2.50 | 0.002 | 0.010 | 0.200 | ND | Passed |
| Thiamethoxam | 2.50 | 0.002 | 0.010 | 0.200 | ND | Passed |
| Trifloxystrobin | 2.50 | 0.002 | 0.010 | 0.200 | ND | Passed |
| Methyl Parathion | 10.0 | 0.010 | 0.020 | 0.200 | ND | Passed |
| Chlordane | 10.0 | 0.010 | 0.020 | | ND | Tested |
| Chlorfenapyr | 10.0 | 0.010 | 0.020 | 1.000 | ND | Passed |
| Chlormequat Chloride | 2.50 | 0.002 | 0.010 | 0.200 | ND | Passed |
| Pentachloronitrobenzene | 10.0 | 0.010 | 0.050 | | ND | Tested |

ACCREDITED
CERT #7425.05



Dakota Detwiler
Director of Operations

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

# Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

Precision Fill and Pack LLC
Order No.: OFLMWF0922-0017115
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0922-CDIS-0009543
State: Kentucky
Unit Weight: 1.0000g , Sample Size for Testing: 4.0000 g
Batch#: 26302909
COA Expiration Date: 09/23/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow - THCp Blend
Concentrates & Extracts, Distillate

## Contaminants

Pass

**Sample Prep**
**Tech:** 3358, 4509
**SOP:** SOP 805-MI
**Batch Number:** WRSVFL-FL1012-0012436
**Batch Date:** 10/12/2026 11:55

**Sample Analysis**
**Date/Time:** 10/12/2026 19:00
**Tech:** 4509, 4495
**SOP:** SOP 805-MI
**Instrument:** GCMS-HS - 3015 / LC-MS/MS - 2894
**Initial Weight:** 0.21 g
**Initial Volume:** -
**Final Volume:** -

| Analyte | DF | LOD (ppm) | LOQ (ppm) | Limit (ppm) | Result | Status |
|---|---|---|---|---|---|---|
| Diacetyl ♦ | 1.00 | 2.00 | 20.00 | 0.10 | Passed | |
| Vitamin-E Acetate | 1.00 | 3.33 | 46.30 | 0.10 | Passed | |

ACCREDITED
CERT #7425.05



Dakota Detwiler
Director of Operations

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.


# Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

Precision Fill and Pack LLC
Order No.: OFLMWF0922-0017115
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0922-CDIS-0009543
State: Kentucky
Unit Weight: 1.0000g , Sample Size for Testing: 4.0000 g
Batch#: 26302909
COA Expiration Date: 09/23/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow - THCp Blend
Concentrates & Extracts, Distillate






**Dakota Detwiler**
**Director of Operations**

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.