Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Precision Fill and Pack LLC
Order No.: OFLMWF0916-0016976
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0916-IGUM-0009475
State: Tennessee
Unit Weight: 6.0000g , Sample Size for Testing: 4.5000 Units
Batch#: 2677790103
COA Expiration Date: 09/17/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin 20pc Edibles 300mg Delta-9 Watermelon

Ingestible, Gummy

Results

13.6 mg/unit D9-THC	**0.759 mg/unit** CBD
0.759 mg/unit Total CBD	**13.6 mg/unit** Total THC
14.3 mg/unit Total Cannabinoids	

Tests Summary

Cannabinoids Tested	**Moisture** Not Tested	**Microbials** Pass
Foreign Matter Tested	**Water Activity** Pass	**Homogeneity** Not Tested
Terpenes Not Tested	**Contaminant Load** Not Tested	**Residual Solvents** Pass
Mycotoxins Pass	**Heavy Metals** Pass	**Pesticides** Pass
Kratom Not Tested	**Contaminants** Tested	

ACCREDITED
CERT #7425.05

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Precision Fill and Pack LLC
Order No.: OFLMWF0916-0016976
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0916-IGUM-0009475
State: Tennessee
Unit Weight: 6.0000g , Sample Size for Testing: 4.5000 Units
Batch#: 2677790103
COA Expiration Date: 09/17/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin 20pc Edibles 300mg Delta-9 Watermelon
Ingestible, Gummy

Cannabinoids

Tested

Sample Prep
Tech: 4514, 4509
SOP: SOP 801
Batch Number: WCNDFL-FL0918-0011098
Batch Date: 09/18/2026 15:12

Sample Analysis
Date/Time: 09/22/2026 17:00
Tech: 4509
SOP: SOP 801
Instrument:
Initial Weight: 0.527 g
Final Weight: 0.527 g
Dilution Factor for Sample: 40

Analyte	LOD (mg/g)	LOQ (mg/g)	%	mg/g	mg/unit
CBDVa	0.001	0.038	ND	ND	ND
CBDV	0.001	0.038	ND	ND	ND
CBDa	0.006	0.038	ND	ND	ND
CBGa	0.003	0.038	ND	ND	ND
CBG	0.006	0.038	ND	ND	ND
CBD	0.011	0.038	**0.0127**	**0.127**	**0.759**
THCV	0.002	0.038	< LOQ	< LOQ	< LOQ
THCVa	0.002	0.038	ND	ND	ND
CBN	0.001	0.038	ND	ND	ND
D8-THC	0.006	0.038	ND	ND	ND
D9-THC	0.005	0.038	**0.2261**	**2.261**	**13.564**
D9-THCP	0.006	0.038	ND	ND	ND
D10-THC	0.005	0.038	ND	ND	ND
CBC	0.004	0.038	ND	ND	ND
THCa	0.006	0.038	ND	ND	ND
CBCa	0.01	0.038	ND	ND	ND
CBT	0.008	0.038	ND	ND	ND
EXO-THC	0.008	0.038	ND	ND	ND
Total CBD			**0.0127**	**0.127**	**0.759**
Total THC			**0.2261**	**2.261**	**13.564**
Total Cannabinoids			**0.2387**	**2.387**	**14.323**

ACCREDITED
CERT #7425.05

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Precision Fill and Pack LLC
Order No.: OFLMWF0916-0016976
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0916-IGUM-0009475
State: Tennessee
Unit Weight: 6.0000g , Sample Size for Testing: 4.5000 Units
Batch#: 2677790103
COA Expiration Date: 09/17/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin 20pc Edibles 300mg Delta-9 Watermelon
Ingestible, Gummy

Microbials

Pass

Sample Prep
Tech: 4516, 4302
SOP: SOP 406-FL & SOP 412-FL
Batch Number: WINCFL-FL0924-0011372
Batch Date: 09/24/2026 12:33

Sample Analysis
Date/Time: 09/25/2026 21:10
Tech: 4302, 4509
SOP: SOP 406-FL SOP & 412-FL
Instrument: AriaMx Real-Time PCR System - 2958 / Balance XSR104 2835 - 2835 / Aria Instrume
Initial Weight: 3.144 g
Final Weight: 3.144 g
Dilution Factor for Sample: 10

Analyte	Limit (CFU/g)	Result	Status
Yeast & Mold	10,000	ND	Passed
Salmonella	None Present	Absence	Passed
Aspergillus Flavus	None Present	Absence	Passed
Aspergillus Fumigatus	None Present	Absence	Passed
Aspergillus Niger	None Present	Absence	Passed
Aspergillus Terreus	None Present	Absence	Passed
STEC E. Coli	None Present	Absence	Passed
Total Aerobic Microbial Count	100,000	ND	Passed

ACCREDITED
CERT #7425.05

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Precision Fill and Pack LLC
Order No.: OFLMWF0916-0016976
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0916-IGUM-0009475
State: Tennessee
Unit Weight: 6.0000g , Sample Size for Testing: 4.5000 Units
Batch#: 2677790103
COA Expiration Date: 09/17/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin 20pc Edibles 300mg Delta-9 Watermelon
Ingestible, Gummy

Foreign Matter

Tested

Sample Prep/Analysis
Tech: 4302
SOP: SOP 409-FL
Batch Date: 09/24/2026 12:30

Sample Analysis
Date/Time: 09/24/2026 12:37
Tech: 4521
SOP: SOP 409-FL
Initial Weight: 1 g
Final Weight: 1 g

Analyte	%
FM Weight	0.00
FM Sample Area	0.00
Feces, Mold, Mildew, and/or Fungus	Absence

ACCREDITED
CERT #7425.05

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Precision Fill and Pack LLC
Order No.: OFLMWF0916-0016976
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0916-IGUM-0009475
State: Tennessee
Unit Weight: 6.0000g , Sample Size for Testing: 4.5000 Units
Batch#: 2677790103
COA Expiration Date: 09/17/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin 20pc Edibles 300mg Delta-9 Watermelon
Ingestible, Gummy

Water Activity

Pass

Sample Prep
Tech: 4524
SOP: SOP 407-FL
Batch Number: WWAFL-FL0928-0011596
Batch Date: 09/28/2026 10:34

Sample Analysis
Date/Time: 09/28/2026 12:41
Tech: 4526
SOP: SOP 407-FL
Instrument: Rotronic Water Activity Meter - 3530
Initial Weight: 1.077 g
Final Weight: 1.077 g

Analyte	Limit (aw)	aw	Status
Water Activity	0.85	**0.51**	Passed

ACCREDITED
CERT #7425.05

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Precision Fill and Pack LLC
Order No.: OFLMWF0916-0016976
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0916-IGUM-0009475
State: Tennessee
Unit Weight: 6.0000g , Sample Size for Testing: 4.5000 Units
Batch#: 2677790103
COA Expiration Date: 09/17/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin 20pc Edibles 300mg Delta-9 Watermelon
Ingestible, Gummy

Residual Solvents

Pass

Sample Prep
Tech: 3358, 4509
SOP: SOP 405-FL
Batch Number: WRSVFL-FL0925-0011460
Batch Date: 09/25/2026 11:24

Sample Analysis
Date/Time: 09/28/2026 15:49
Tech: 4509
SOP: SOP 405-FL
Instrument: GCMS-HS - 3015
Initial Weight: 0.102 g
Final Weight: 0.102 g
Dilution Factor for Sample: 1

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
1,2-Dichloroethane	0.7	1.0		ND	Tested
Acetone	2.0	20.0	1,000.0	ND	Passed
Acetonitrile	2.0	20.0		ND	Tested
Benzene	0.2	0.4	2.0	ND	Passed
Butane	10.0	20.0	1,000.0	ND	Passed
Chloroform	0.2	0.4		ND	Tested
Ethanol	20.0	40.0	5,000.0	ND	Passed
Ethyl Acetate	2.0	20.0	1,000.0	< LOQ	Passed
Ethyl Ether	20.0	40.0		ND	Tested
Ethylene Oxide	0.7	2.0		ND	Tested
Heptane	20.0	40.0	1,000.0	ND	Passed
Hexanes	4.0	8.0	60.0	ND	Passed
Isopropyl Alcohol	20.0	40.0	1,000.0	ND	Passed
Methanol	20.0	40.0	600.0	ND	Passed
Methylene Chloride	20.0	40.0		ND	Tested
Pentanes	6.7	13.3	1,000.0	ND	Passed
Propane	2.0	20.0	1,000.0	ND	Passed
Toluene	2.0	20.0	180.0	ND	Passed
Trichloroethylene	1.0	2.0		ND	Tested
Total Xylenes			430.0	ND	Passed
1,1-Dichloroethene	0.7	2.0		ND	Tested

ACCREDITED
CERT #7425.05

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Certificate of Analysis

Precision Fill and Pack LLC
Order No.: OFLMWF0916-0016976
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0916-IGUM-0009475
State: Tennessee
Unit Weight: 6.0000g , Sample Size for Testing: 4.5000 Units
Batch#: 2677790103
COA Expiration Date: 09/17/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin 20pc Edibles 300mg Delta-9 Watermelon
Ingestible, Gummy

Mycotoxins

Pass

Sample Prep
Tech: 3358
SOP: SOP 424-FL
Batch Number: WPMCFL-FL0924-0011401
Batch Date: 09/24/2026 15:01

Sample Analysis
Date/Time: 09/25/2026 16:35
Tech: 4521
SOP: SOP 424-FL
Instrument: LC-MS/MS - 2998
Initial Weight: 0.105 g
Final Weight: 0.105 g
Dilution Factor for Sample: 2.5

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
B1	1.910	9.551	20.000	ND	Passed
B2	1.910	9.551	20.000	ND	Passed
G1	1.910	9.551	20.000	ND	Passed
G2	1.910	9.551	20.000	ND	Passed
Ochratoxin A	1.910	9.551	20.000	ND	Passed

ACCREDITED
CERT #7425.05

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Precision Fill and Pack LLC
Order No.: OFLMWF0916-0016976
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0916-IGUM-0009475
State: Tennessee
Unit Weight: 6.0000g , Sample Size for Testing: 4.5000 Units
Batch#: 2677790103
COA Expiration Date: 09/17/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin 20pc Edibles 300mg Delta-9 Watermelon
Ingestible, Gummy

Heavy Metals

Pass

Sample Prep
Tech: 4526
SOP: SOP 428-FL
Batch Number: WMTLFL-FL0924-0011388
Batch Date: 09/24/2026 13:20

Sample Analysis
Date/Time: 09/28/2026 18:25
Tech: 4509
SOP: SOP 428-FL
Instrument: ICP-MS - 2837
Initial Weight: 0.25 g
Final Weight: 0.25 g
Dilution Factor for Sample: 50

Analyte	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
Arsenic	8.187	74.880	200.000	< LOQ	Passed
Cadmium	5.391	74.880	200.000	ND	Passed
Mercury	5.990	74.880	100.000	ND	Passed
Nickel	77.276	224.641		**294**	Tested
Lead	5.391	224.641	500.000	< LOQ	Passed
Tin	225.639	299.521		ND	Tested

ACCREDITED
CERT #7425.05

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Certificate of Analysis

Precision Fill and Pack LLC
Order No.: OFLMWF0916-0016976
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0916-IGUM-0009475
State: Tennessee
Unit Weight: 6.0000g , Sample Size for Testing: 4.5000 Units
Batch#: 2677790103
COA Expiration Date: 09/17/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin 20pc Edibles 300mg Delta-9 Watermelon
Ingestible, Gummy

Pesticides

Pass

Sample Prep
Tech: 3358
SOP: SOP 424-FL
Batch Number: WPMCFL-FL0924-0011401
Batch Date: 09/24/2026 15:01

Sample Analysis
Date/Time: 09/25/2026 16:35
Tech: 4521, 4509
SOP: SOP 424-FL
Instrument: LC-MS/MS - 2998 / GC-MS/MS - 3005
Initial Weight: 0.619 g
Final Weight: 0.619 g
Dilution Factor for Sample: 2.5 (LCMS), 10 (GCMS)

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Abamectin	0.008	0.021	0.500	ND	Passed
Acephate	0.010	0.024	0.400	ND	Passed
Acequinocyl	0.010	0.024	2.000	ND	Passed
Acetamiprid	0.002	0.010	0.200	ND	Passed
Aldicarb	0.005	0.019	0.400	ND	Passed
Azoxystrobin	0.002	0.010	0.200	ND	Passed
Bifenazate	0.002	0.010	0.200	ND	Passed
Bifenthrin	0.010	0.024	0.200	ND	Passed
Boscalid	0.012	0.048	0.200	ND	Passed
Carbaryl	0.005	0.010	0.400	ND	Passed
Carbofuran	0.002	0.010	0.200	ND	Passed
Chlorantraniliprole	0.002	0.010	0.200	ND	Passed
Chlorpyrifos	0.010	0.024	0.200	ND	Passed
Clofentezine	0.010	0.024	0.200	ND	Passed
Coumaphos	0.010	0.050		ND	Tested
Cyfluthrin	0.010	0.100	1.000	ND	Passed
Cypermethrin	0.010	0.100	1.000	ND	Passed
Daminozide	0.010	0.024	1.000	ND	Passed
Diazinon	0.002	0.010	0.200	ND	Passed
Dichlorvos	0.010	0.024	0.100	ND	Passed
Dimethoate	0.002	0.010	0.200	ND	Passed
Dimethomorph	0.003	0.011		ND	Tested
Ethoprophos	0.002	0.010	0.200	ND	Passed
Etofenprox	0.002	0.010	0.400	ND	Passed
Etoxazole	0.002	0.010	0.200	ND	Passed
Fenhexamid	0.010	0.048		ND	Tested
Fenoxycarb	0.002	0.010	0.400	ND	Passed
Fenpyroximate	0.002	0.019	0.400	ND	Passed
Fipronil	0.002	0.010	0.400	ND	Passed
Flonicamid	0.005	0.019	1.000	ND	Passed
Fludioxonil	0.005	0.010	0.400	ND	Passed
Hexythiazox	0.005	0.019	1.000	ND	Passed
Imazalil	0.010	0.024	0.200	ND	Passed
Imidacloprid	0.024	0.119	0.400	ND	Passed
Kresoxim Methyl	0.005	0.010	0.400	ND	Passed
Malathion	0.019	0.048	0.200	ND	Passed
Mevinphos	0.009	0.021		ND	Tested

ACCREDITED
CERT #7425.05

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Precision Fill and Pack LLC
Order No.: OFLMWF0916-0016976
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0916-IGUM-0009475
State: Tennessee
Unit Weight: 6.0000g , Sample Size for Testing: 4.5000 Units
Batch#: 2677790103
COA Expiration Date: 09/17/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin 20pc Edibles 300mg Delta-9 Watermelon
Ingestible, Gummy

Analyte	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Metalaxyl	0.002	0.010	0.200	ND	Passed
Methiocarb	0.002	0.010	0.200	ND	Passed
Methomyl	0.002	0.010	0.400	ND	Passed
Myclobutanil	0.005	0.024	0.200	ND	Passed
Naled	0.019	0.024	0.500	ND	Passed
Oxamyl	0.002	0.010	1.000	ND	Passed
Paclobutrazol	0.002	0.010	0.400	ND	Passed
Permethrin	0.010	0.024	0.200	ND	Passed
Phosmet	0.005	0.024	0.200	ND	Passed
Piperonyl Butoxide	0.002	0.010	2.000	ND	Passed
Prallethrin	0.010	0.024	0.200	ND	Passed
Propiconazole	0.010	0.024	0.400	ND	Passed
Propoxur	0.002	0.010	0.200	ND	Passed
Pyrethrins	0.032	0.064	1.000	ND	Passed
Pyridaben	0.002	0.010	0.200	ND	Passed
Spinetoram	0.007	0.017		ND	Tested
Spinosyn AD	0.010	0.040	0.200	ND	Passed
Spiromesifen	0.002	0.010	0.200	ND	Passed
Spirotetramat	0.005	0.024	0.200	ND	Passed
Spiroxamine	0.002	0.010	0.400	ND	Passed
Tebuconazole	0.010	0.024	0.400	ND	Passed
Thiacloprid	0.002	0.010	0.200	ND	Passed
Thiamethoxam	0.002	0.010	0.200	ND	Passed
Trifloxystrobin	0.002	0.010	0.200	ND	Passed
Methyl Parathion	0.010	0.020	0.200	ND	Passed
Chlordane	0.010	0.020		ND	Tested
Chlorfenapyr	0.010	0.020	1.000	ND	Passed
Chlormequat Chloride	0.002	0.010	0.200	ND	Passed
Pentachloronitrobenzene	0.010	0.050		ND	Tested

ACCREDITED
CERT #7425.05

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Precision Fill and Pack LLC
Order No.: OFLMWF0916-0016976
1120 NW 51st Ct
Florida, 33309
info@mellowfellow.com

Sample: SFLMWF0916-IGUM-0009475
State: Tennessee
Unit Weight: 6.0000g , Sample Size for Testing: 4.5000 Units
Batch#: 2677790103
COA Expiration Date: 09/17/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Mellow Fellow Live Resin 20pc Edibles 300mg Delta-9 Watermelon
Ingestible, Gummy

Contaminants

Tested

Sample Prep
Tech: 3358
SOP: SOP 805-MI
Batch Number: WRSVFL-FL0925-0011460
Batch Date: 09/25/2026 11:24

Sample Analysis
Date/Time: 09/28/2026 15:49
Tech: 4509
SOP: SOP 805-MI
Instrument: GCMS-HS - 3015
Initial Weight: 0.102 g
Final Weight: 0.102 g
Dilution Factor for Sample: 1

Analyte	LOD (ppm)	LOQ (ppm)	Result
Diacetyl ♦			

K'hari Leno
Sr. Lab Supervisor

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.